

STONE EFFECT

Realstone_Ceppo Collection

RAGNO 



RCXK Ceppo Grigio Rt 90x180cm

Realstone_Ceppo

Ceppo di Gré inspires Realstone_Ceppo, a porcelain stoneware collection with strong material character. The collection includes the colours Bianco, Grigio, Beige and Antracite, in 60x60, 60x120, 90x180 and 120x120 sizes, also in 20 mm for outdoor use. The Triangoli Mosaic and stone surfaces with inclusions and a neutral base complete the range. Ideal for indoor and outdoor spaces, it brings visual continuity and a clear architectural sign across all projects.



RCFP Stratford White Natural Rt 120x278cm - RCZV Ceppo Bianco Mosaico Triangoli Rt 29x39cm



RCWM Ceppo Bianco Rt 120x120cm



RCX4 Ceppo Beige Strutturato Rt 60x120cm



RCWX Ceppo Grigio Rt 60x120cm - RCZS Ceppo Grigio Listello Preinciso Rt 13x120cm



RAEX Glacé Muschio Glossy 7x20cm - RCWW Ceppo Antracite Rt 60x120cm - RCZQ Ceppo Antracite Listello Preinciso Rt 13x120cm



R8HN Gleeze Beige Glossy 5x15cm - RCXN Ceppo Bianco Rt 90x180cm



R8HN Gleeze Beige Glossy 5x15cm - RCFJ Stratford Clay Natural Rt 120x278cm - RCXN Ceppo Bianco Rt 90x180cm




RCWL Ceppo Grigio Rt 120x120cm - RCWS Ceppo Grigio Strutturato Rt 120x120cm



RADZ Inedito Cenere Rt 20x120cm - RCWJ Ceppo Antracite R10 Rt 120x120cm




RC7S Amuri Decoro Pizzo Biscotto 20x20cm - RCFJ Stratford Clay Natural Rt 120x278cm - RCWT Ceppo Beige Strutturato Rt 120x120cm




Ceppo Antracite

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
120x120cm	Structured Surface	RCWR	Ceppo Antracite Strutturato Rt	MM 09	•	 	 	R11C	> 0.40	Class 3	36+ Slider 96	P4	>= 0.42	H	V2	3D Ink	1	1,44	31,56	36	51,84	1.136,09
60x60cm	Natural	RCX8	Ceppo Antracite Rt	MM 09	•	 	 	R9	> 0.40	Class 1		P2	>= 0.42	H	V2	3D Ink	3	1,08	22,96	40	43,20	918,37
60x60cm	Natural	RCXA	Ceppo Antracite R10 Rt	MM 09	•	 	 	R10B	> 0.40	Class 2	36+ Slider 96		>= 0.42	H	V2	3D Ink	3	1,08	22,77	40	43,20	910,62
120x120cm	Natural	RCWJ	Ceppo Antracite R10 Rt	MM 09	•	 	 	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V2	3D Ink	1	1,44	31,56	36	51,84	1.136,09
120x120cm	Natural	RCWN	Ceppo Antracite Rt	MM 09	•	 	 	R9	> 0.40	Class 1			>= 0.42	H	V2	3D Ink	1	1,44	31,56	36	51,84	1.136,09
60x120cm	Natural	RCWW	Ceppo Antracite Rt	MM 09	•	 	 	R9	> 0.40	Class 1		P2	>= 0.42	H	V2	3D Ink	2	1,44	30,77	36	51,84	1.107,69
60x120cm	Natural	RCWZ	Ceppo Antracite R10 Rt	MM 09	•	 	 	R10B	> 0.40	Class 2	36+ Slider 96		>= 0.42	H	V2	3D Ink	2	1,44	29,83	36	51,84	1.073,74
60x120cm	Structured Surface	RCX5	Ceppo Antracite Strutturato Rt	MM 09	•	 	 	R11C	> 0.40	Class 3	36+ Slider 96	P4	>= 0.42	H	V2	3D Ink	2	1,44	30,46	36	51,84	1.096,45
90x180cm	Natural	RCXH	Ceppo Antracite R10 Rt	MM 09	•	 	 	R10B	> 0.40	Class 2	36+ Slider 96		>= 0.42	H	V2	3D Ink	2	3,24	71,87	18	58,32	1.293,70
90x180cm	Natural	RCXM	Ceppo Antracite Rt	MM 09	•	 	 	R9	> 0.40	Class 1		P2	>= 0.42	H	V2	3D Ink	2	3,24	71,81	18	58,32	1.292,55




Ceppo Beige

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
120x120cm	Structured Surface	RCWT	Ceppo Beige Strutturato Rt	MM 09	•	 	 	R11C	> 0.40	Class 3	36+ Slider 96	P4	>= 0.42	H	V2	3D Ink	1	1,44	31,56	36	51,84	1.136,09
60x60cm	Natural	RCX9	Ceppo Beige Rt	MM 09	•	 	 	R9	> 0.40	Class 1		P2	>= 0.42	H	V2	3D Ink	3	1,08	23,08	40	43,20	923,08
60x60cm	Natural	RCXE	Ceppo Beige R10 Rt	MM 09	•	 	 	R10B	> 0.40	Class 2	36+ Slider 96		>= 0.42	H	V2	3D Ink	3	1,08	22,52	40	43,20	900,75
120x120cm	Natural	RCWK	Ceppo Beige R10 Rt	MM 09	•	 	 	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V2	3D Ink	1	1,44	31,56	36	51,84	1.136,09
120x120cm	Natural	RCWP	Ceppo Beige Rt	MM 09	•	 	 	R9	> 0.40	Class 1			>= 0.42	H	V2	3D Ink	1	1,44	31,56	36	51,84	1.136,09
60x120cm	Natural	RCWU	Ceppo Beige Rt	MM 09	•	 	 	R9	> 0.40	Class 1		P2	>= 0.42	H	V2	3D Ink	2	1,44	30,92	36	51,84	1.113,16
60x120cm	Natural	RCX1	Ceppo Beige R10 Rt	MM 09	•	 	 	R10B	> 0.40	Class 2	36+ Slider 96		>= 0.42	H	V2	3D Ink	2	1,44	30,41	36	51,84	1.094,83
60x120cm	Structured Surface	RCX4	Ceppo Beige Strutturato Rt	MM 09	•	 	 	R11C	> 0.40	Class 3	36+ Slider 96	P4	>= 0.42	H	V2	3D Ink	2	1,44	30,26	36	51,84	1.089,30
90x180cm	Natural	RCXF	Ceppo Beige R10 Rt	MM 09	•	 	 	R10B	> 0.40	Class 2	36+ Slider 96		>= 0.42	H	V2	3D Ink	2	3,24	72,35	18	58,32	1.302,37
90x180cm	Natural	RCXL	Ceppo Beige Rt	MM 09	•	 	 	R9	> 0.40	Class 1		P2	>= 0.42	H	V2	3D Ink	2	3,24	73,06	18	58,32	1.314,99



Ceppo Bianco

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
120x120cm	Structured Surface	RCWQ	Ceppo Bianco Strutturato Rt	MM 09	•	 	 	R11C	> 0.40	Class 3	36+ Slider 96	P4	>= 0.42	H	V2	3D Ink	1	1,44	31,56	36	51,84	1.136,09
60x60cm	Natural	RCX6	Ceppo Bianco Rt	MM 09	•	 	 	R9	> 0.40	Class 1		P2	>= 0.42	H	V2	3D Ink	3	1,08	22,52	40	43,20	900,94
60x60cm	Natural	RCXD	Ceppo Bianco R10 Rt	MM 09	•	 	 	R10B	> 0.40	Class 2	36+ Slider 96		>= 0.42	H	V2	3D Ink	3	1,08	22,76	40	43,20	910,24
120x120cm	Natural	RCWG	Ceppo Bianco R10 Rt	MM 09	•	 	 	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V2	3D Ink	1	1,44	31,56	36	51,84	1.136,09
120x120cm	Natural	RCWM	Ceppo Bianco Rt	MM 09	•	 	 	R9	> 0.40	Class 1			>= 0.42	H	V2	3D Ink	1	1,44	31,56	36	51,84	1.136,09
60x120cm	Natural	RCWV	Ceppo Bianco Rt	MM 09	•	 	 	R9	> 0.40	Class 1		P2	>= 0.42	H	V2	3D Ink	2	1,44	30,31	36	51,84	1.091,14
60x120cm	Natural	RCWY	Ceppo Bianco R10 Rt	MM 09	•	 	 	R10B	> 0.40	Class 2	36+ Slider 96		>= 0.42	H	V2	3D Ink	2	1,44	30,21	36	51,84	1.087,48
60x120cm	Structured Surface	RCX2	Ceppo Bianco Strutturato Rt	MM 09	•	 	 	R11C	> 0.40	Class 3	36+ Slider 96	P4	>= 0.42	H	V2	3D Ink	2	1,44	30,27	36	51,84	1.089,76
90x180cm	Natural	RCXG	Ceppo Bianco R10 Rt	MM 09	•	 	 	R10B	> 0.40	Class 2	36+ Slider 96		>= 0.42	H	V2	3D Ink	2	3,24	71,27	18	58,32	1.282,89
90x180cm	Natural	RCXN	Ceppo Bianco Rt	MM 09	•	 	 	R9	> 0.40	Class 1		P2	>= 0.42	H	V2	3D Ink	2	3,24	70,63	18	58,32	1.271,42



Ceppo Grigio


Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
120x120cm	Structured Surface	RCWS	Ceppo Grigio Strutturato Rt	MM 09	•	 	 	R11C	> 0.40	Class 3	36+ Slider 96	P4	>= 0.42	H	V2	3D Ink	1	1,44	31,56	36	51,84	1.136,09
60x60cm	Natural	RCX7	Ceppo Grigio Rt	MM 09	•	 	 	R9	> 0.40	Class 1		P2	>= 0.42	H	V2	3D Ink	3	1,08	22,57	40	43,20	902,82
60x60cm	Natural	RCXC	Ceppo Grigio R10 Rt	MM 09	•	 	 	R10B	> 0.40	Class 2	36+ Slider 96		>= 0.42	H	V2	3D Ink	3	1,08	22,78	40	43,20	911,01
120x120cm	Natural	RCWH	Ceppo Grigio R10 Rt	MM 09	•	 	 	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V2	3D Ink	1	1,44	31,56	36	51,84	1.136,09
120x120cm	Natural	RCWL	Ceppo Grigio Rt	MM 09	•	 	 	R9	> 0.40	Class 1			>= 0.42	H	V2	3D Ink	1	1,44	31,56	36	51,84	1.136,09
60x120cm	Natural	RCWX	Ceppo Grigio Rt	MM 09	•	 	 	R9	> 0.40	Class 1		P2	>= 0.42	H	V2	3D Ink	2	1,44	30,06	36	51,84	1.082,03
60x120cm	Natural	RCX0	Ceppo Grigio R10 Rt	MM 09	•	 	 	R10B	> 0.40	Class 2	36+ Slider 96		>= 0.42	H	V2	3D Ink	2	1,44	30,38	36	51,84	1.093,67
60x120cm	Structured Surface	RCX3	Ceppo Grigio Strutturato Rt	MM 09	•	 	 	R11C	> 0.40	Class 3	36+ Slider 96	P4	>= 0.42	H	V2	3D Ink	2	1,44	29,82	36	51,84	1.073,51
90x180cm	Natural	RCXJ	Ceppo Grigio R10 Rt	MM 09	•	 	 	R10B	> 0.40	Class 2	36+ Slider 96		>= 0.42	H	V2	3D Ink	2	3,24	71,81	18	58,32	1.292,55
90x180cm	Natural	RCXK	Ceppo Grigio Rt	MM 09	•	 	 	R9	> 0.40	Class 1		P2	>= 0.42	H	V2	3D Ink	2	3,24	70,77	18	58,32	1.273,92



Mosaico Triangoli Ceppo Antracite


Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
29x39cm	Natural	RCZU	Ceppo Antracite Mosaico Triangoli Rt	MM 09	•	 	 								V2		4	0,45	15,00	50	22,62	749,99

Colorbody Fine Porcelain Stoneware




Mosaico Triangoli Ceppo Beige

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
29x39cm	Natural	RCZW	Ceppo Beige Mosaico Triangoli Rt	MM 09	•	 	 								V2		4	0,45	15,00	50	22,62	749,99



Mosaico Triangoli Ceppo Bianco

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
29x39cm	Natural	RCZV	Ceppo Bianco Mosaico Triangoli Rt	MM 09	•	 	 								V2		4	0,45	15,00	50	22,62	749,99



Mosaico Triangoli Ceppo Grigio

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
29x39cm	Natural	RCZX	Ceppo Grigio Mosaico Triangoli Rt	MM 09	•	 	 								V2		4	0,45	15,00	50	22,62	749,99

Caratteristiche Tecniche

-  Frost proof
-  Resistance deep abrasion

Destinazioni d'uso

D

Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

E

Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

F

Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

Variazioni cromatiche

V0

Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

V1

Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

V2

Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run

G

Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.

H

Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

V3

Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

V4

Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certificazioni



ISO
14001



ISO
45001



ISO 9001



Green
Building
Council



GPP



EPD Italy



ISO
17889-1



Greengu
ard



LEED
Credits



QBUPEC



QBUPEC
D+



FDES



Declare



HPD



CAM
Sassuolo



CAM
Casiglie



CCC



CE
001MRZI



CE
009MRZI



UKCA 00
1MRZUK



UKCA 00
9MRZUK



SASO



© Copyright by Ragno – Marazzi Group S.r.l. All Rights Reserved Marazzi Group
Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@ragno.it
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 01/06/2026

